



AHM

BUILDING MATERIALS TRADING LLC

CATALOG



ABOUT US

A H M Building Materials Trading LLC is a leading and trusted provider of wholesale and retail solutions for building materials, hardware tools, consumables, safety equipment, rigging products, and more.

OUR VISION

- Preferred partner for construction and industrial businesses
- Offering high-quality products and exceptional service
- Driving client success and growth
- Fostering trust, transparency, and value in client relationships

OUR MISSION

- Delivers a comprehensive range of building materials, hardware tools, safety gear, and essential products
- Meet diverse customer needs
- Provide high-quality products
- Offer expert guidance
- Simplify the procurement process
- Empower businesses to thrive in their industries

INDEX



LIFTING EQUIPMENT

Jcd Vertical Lifting Clamp

Ecd Vertical Lifting Clamp

Beam Clamp

Grade 80 Lifting Chain

Wire Rope Sling

2-Leg Wire Rope Sling With Swivel Hook

4-Leg Wire Rope Sling With Shackle

Claw Load Binder

Ratchet Type Load Binder

Cargo Lashing Belt

Plain Trolley

Geared Trolley

Chain Block

Electric Chain Block

Electric Trolley

Mini Electric Wire Hoist

Electric Motor Trolley

LIFTING EQUIPMENT



JCD VERTICAL LIFTING CLAMP

RATED CAPACITY (T)	JAW OPENING (MM)	WEIGHT (KG)
1	0-22	4.5
2	0-32	6.8
3	0-36	11
5	0-50	17.2
10	0-90	38



ECD VERTICAL LIFTING CLAMP

RATED CAPACITY (T)	JAW OPENING (MM)	WEIGHT (KG)
1	0-22	4.6
2	0-25	8
3	0-30	15
5	0-50	20.5
8	0-80	34



BEAM CLAMP

CAPACITY (KG)	ADJ. BEAM WIDTH (MM)	NET WEIGHT (MM)
1000	75-245	3.5
2000	75-245	4.5
3000	70-355	9.5
5000	70-355	11
10000	80-350	16



LIFTING EQUIPMENT



GRADE 80 LIFTING CHAIN

SIZE d x p mm	WIDTH(mm)		W.L.L. Ton	MPF KN	MBS KN	APPROX WEIGHT per meter
	inside a	outside b				
15X46	20.0	52.0	7.0	168.0	280.0	5.17
16X48	20.0	56.0	8.0	192.0	320.0	5.63
16X49	24.5	59.5	8.0	192.0	320.0	5.71
16X64	23.9	58.9	8.0	192.0	320.0	5.11
18X54	23.0	63.0	10.0	246.0	410.0	6.85
18X64	21.0	60.0	10.0	246.0	410.0	6.60
19X57	23.7	63.2	11.3	270.0	450.0	7.70
20X60	25.0	70.0	12.5	300.0	500.0	8.60
22X65	28.0	74.2	15.3	366.0	610.0	10.70
22X66	28.0	77.0	15.3	366.0	610.0	10.20
22X86	26.0	74.0	15.3	366.0	610.0	9.50
24X72	32.0	82.0	18.0	432.0	720.0	12.70
24X86	28.0	79.0	18.0	432.0	720.0	11.60
26X78	35.0	91.0	21.3	510.0	850.0	14.87
26X92	30.0	86.0	21.3	510.0	850.0	13.70
30X90	38.0	105.0	28.3	678.0	1130.0	19.60
30X108	34.0	98.0	28.3	678.0	1130.0	18.00
32X96	40.0	106.0	32.2	772.0	1286.0	22.29
34X126	38.0	109.0	36.3	870.0	1450.0	22.70
34X102	46.5	121.5	36.3	870.0	1450.0	25.50
36X108	49.5	128.5	40.7	978.0	1630.0	31.00
38X137	42.0	121.0	45.3	1086.0	1810.0	29.00
38X114	52.0	136.0	45.3	1086.0	1810.0	32.00
42X126	55.5	144.5	55.4	1332.0	2200.0	38.60



WIRE ROPE SLING WITH PRESSED LOOP AND SAFETY EYE HOOK

Rope ø in mm	WLL single direct in kg
8	750
10	1300
12	1800
13	2100
14	2500
16	3300
19	4600
20	5100
22	6200
24	7400
26	8600
28	10000
32	13100
36	16600
38	18500
44	25000
52	35000



LIFTING EQUIPMENT



2-LEG WIRE ROPE SLING WITH SWIVEL HOOK

Rope Ø in mm	Load capacity 2 leg in kg at angle 0-45°
8	1000
10	1830
12	2520
13	3000
14	3500
16	4600
19	6400
20	7100
22	8700
24	10300
26	12000
28	14000
32	18300



4-LEG WIRE ROPE SLING WITH SHACKLE

Rope Ø in mm	Load capacity 4 leg in kg at angle 0-45°
8	1500
10	2700
12	3780
13	4400
14	5250
16	6900
19	9700
20	10700
22	13000
24	15500
26	18000
28	21000
32	27500



LIFTING EQUIPMENT



CLAW LOAD BINDER

SIZE inch	W.L.L. lbs	MB.S. lbs	N.W. lbs
1/4-5/16	2600	9200	3.60
5/16-3/8	5400	19000	8.56
3/8-1/2	9200	28000	12.38



RATCHET TYPE LOAD BINDER

SIZE inch	W.L.L. lbs	MB.S. lbs	N.W. lbs
1/4-5/16	2600	9200	3.75
5/16-3/8	5400	19000	10.50
3/8-1/2	9200	33000	12.90
1/2-5/8	13000	46000	14.55



CARGO LASHING BELT

SIZE	LENGTH (MAR)	BREAKING STRENGTH	WEIGHT (KG)
1"	10,12,15	1000KG	0.6KG
2"	10,12,15	4000KG	2.5KG
2"	10	5000KG	2.5KG
3"	10,12,15	10000KG	7.2KG
4"	10,12,15	12000KG	9KG



LIFTING EQUIPMENT



PLAIN TROLLEY

CAPACITY (KG)	MIN RADIUS OF CURVE (M)	I-BEAM WIDTH	NET WEIGHT (KG)
500	0.9	68-94	5.3
1000	1	68-100	7.5
1500	1.05	68-110	9
2000	1.1	116-140	11.2
3000	1.3	116-140	21
5000	1.4	140-180	30.5
10000	1.7	125-180	85



GEARED TROLLEY

CAPACITY (KG)	MIN RADIUS OF CURVE (M)	I-BEAM WIDTH	NET WEIGHT (KG)
500	0.9	68-94	7.8
1000	1	68-100	10.2
1500	1.05	68-110	12.5
2000	1.1	116-140	15.5
3000	1.3	116-140	25.5
5000	1.4	140-180	39.5
10000	1.7	125-180	100
20000	5	122-203	235



LIFTING EQUIPMENT



CHAIN BLOCK

CAPACITY TON	STANDARD LIFT (MTR)	NO.OF CHAIN	CHAIN DIA (MM)	NET WEIGHT (KG)	EXTRA WEIGHT PER METRE EXTRA LIFT (KG)
0.5	3	1	6	8.4	1.5
1	3	1	6	11	1.8
1.5	3	1	8	16.2	2.1
2	3	2	8	18.5	3.6
3	3	2	8	25.6	4.2
5	3	2	10	42.8	5.1
10	3	4	10	79.5	9.3
20	6	8	10	193	19.3
30	6	12	10	220	28.3
50	6	22	10	1092	50



ELECTRIC TROLLEY FOR ELECTRIC CHAIN HOIST

CAPACITY TON	STANDARD LIFT (MTR)	TEST LOAD (KN)	MOTOR POWER (KW)	IP RATINGS & VOLTS	NO.OF CHAINS	CHAIN DIA (MM)	LIFTING SPEED (M/MIN)	NET WEIGHT (KG)	I-BEAM SIZE (MM)
0.5	6	6.25	0.75	IP54 380V	1	6.3	6.9	89	58-153
1	6	12.5	1.5		1	7.1	6.9	103	58-153
2	6	25	3		1	7.1	6.8	164	82-178
3	6	37.5	3		1	11.2	5.4	183	100-178
5	6	62.5	3		2	11.2	2.7	234	100-178
7.5	6	94	3		3	11.2	1.8	266	100-178
10	6	125	3		4	11.2	2.7	335	150-220
20	6	250	3		8	11.2	1.5	546	150-220



LIFTING EQUIPMENT



ELECTRIC CHAIN BLOCK

CAPACITY TON	STANDARD LIFT (MTR)	TEST LOAD (KN)	MOTOR POWER (KW)	IP RATINGS & VOLTS	NO.OF CHAIN	DIA OF CHAIN (MM)	LIFTING SPEED (M/MIN)	NET WEIGHT (KG)
0.5	6	6.25	0.75	IP54 380V	1	6.3	6.9	43
1	6	12.5	1.5		1	7.1	6.9	62
2	6	25	3		1	7.1	6.8	70
3	6	37.5	3		1	11.2	5.4	117
5	6	62.5	3		2	11.2	2.7	146
7.5	6	94	3		3	11.2	1.8	200
10	6	125	3		4	11.2	2.7	330
20	6	250	3		8	11.2	1.5	546
30	6	375	3		12	11.2	1	1143



ELECTRIC MOTOR TROLLEY

CAPACITY TON	MIN RADIUS OF CURVE (M)	SPEED/50HZ (M/MIN)	I-BEAM WIDTH	NET WEIGHT (KG)
500	0.8	11/21	68-94	33
1000	0.8	11/21	68-100	33
1500	0.8	11/21	68-110	35
2000	1	11/21	116-140	63
3000	1.8	11/21	116-140	68



LIFTING EQUIPMENT



MINI ELECTRIC WIRE HOIST

CAPACITY (KG)	RATED VOLT (V)	LIFTING HEIGHT SINGLE/DOUBLE	LIFTING SPEED (M/MIN)	GW/N.W	PACKING SIZE (CM)
500/1000	220/230/240	12/6	8/4	32/33	62X24X35
500/1000	220/230/240	20/10	20/10	35/36	51X34X18
100/200	220/230/240	12/6	12/6	22/24	49X43X16
250/500	220/230/240	12/6	10/5	30/31	52X48X17



ELECTRIC WIRE ROPE HOIST

CAPACITY (KG)	LENGTHS (M)	LIFTING SPEED (M/MIN)	MOTOR POWER (KW)	TRAVELLING SPEED (M/MIN)	TRAVELLING MOTOR (KW)	WIE ROPE DIA	WIRE ROPE CONSTRUCTION	NET WEIGHT (KG)
1000	30	8 8/0.8	1.5 0.2/1.5	20 30	0.2	7.7	D-6X37+1	180
2000	30	8 8/0.8	3 0.4/3	20 30	0.4	13	D-6X37+1	274
3000	30	8 8/0.8	4.5 0.4/4.5	20 30	0.8	13	D-6X37+1	322
5000	30	8 8/0.8	7.5 0.8/7.5	20 30	0.8	15	D-6X37+1	480





CONTACT US

 +971 55 758 1064

 ahm-bmt@outlook.com

 mohammed@ahm-bmt.com

 Shop no.36, Naif Bazaar Bldg,
Nakheel, Deira, Dubai, UAE

**SCAN THE QR
FOR WHATSAPP**

